



BMC Discovery Usage Reporting Instructions

Option 1:

License Usage Collection Utility (LUCU)

You can use the LUCU option to gather and view license usage reports for your BMC product deployments. Please contact us at licenseutility@bmc.com if you need assistance.

Option 2:

BMC Discovery Version 11.2 and above

If you need assistance running the reports please contact BMC Customer Support at customer_support@bmc.com

BMC Discovery 11.2 introduced a new licensing option that tracks your license entitlements based on your consumption and displays your counts over time. There are features to export and import license information from various consolidators and standalone appliances to provide a consolidated view of your license position. It also has a new digitally signed report which is what you should provide to [BMC License Compliance Office@bmc.com](mailto:BMC_License_Compliance_Office@bmc.com) when requested. More information on the license page can be found here [Managing licenses - BMC Discovery 11.2 - BMC Documentation](#)

BMC Discovery Version 9.0.2 to 11.1

- 1) Open BMC Atrium Discovery and Dependency Mapping and Click the magnifying glass icon, top right
- 2) Click one of those 2 reports (based on whether **you are concerned about data confidentiality**)



- 3) Export as CSV file and send to [BMC License Compliance Office@bmc.com](mailto:BMC_License_Compliance_Office@bmc.com)


BMC ADDM License Audit Show anonymized OSI count as requested by BMC License Operations	
Actions ▾ Export as CSV	Found 5719 items, showing 1 to 25.
Anonymized Discovered OS	
903b361016fb183608a600b1424d1bac	f1b84436d70cf42d70f5c8368b9daf30

Note:


- If you have multiple, unconsolidated appliances or multiple consolidators please run the procedure for each and send one e-mail with all CSV files attached.
- You can modify settings for maintaining your data model, including aging limits, in the Model Maintenance settings of the user interface, see [configuring model maintenance settings](#). Also, details of how Discovery removes nodes are provided here [How nodes are removed](#)

BMC Discovery Versions 8.3, 9.0, 9.0.1

- 1) Open BMC Atrium Discovery and Dependency Mapping and Click the magnifying glass icon, top right




- 2) Click "Generic Search Query"



- 3) If you are concerned about data confidentiality, use the following which obfuscates the output. Copy and paste the below into the big text box, and click "Export CSV"
 - a) *search Host where not (host_type has subword "desktop" or host_type has subword "client") show hash((local_fqdn or name)) as name, hash(os) processwith unique(0)*

b) If you are not concerned about data confidentiality (or want to see the output before sending obfuscated data), use the following

- i ***search Host where not (host_type has subword "desktop" or host_type has subword "client") show (local_fqdn or name) as name, os processwith unique(0)***



4) Save the CSV File and send to BMC_License_Compliance_Office@bmc.com

BMC Discovery Versions prior to 8.3

If you run an earlier version, please send a screen shot of the home page and send to BMC_License_Compliance_Office@bmc.com.



