

COURSE CODE

» MGRS-IDTS-2021

APPLICABLE VERSIONS

» Not Applicable

DELIVERY METHOD (\$)

» Instructor-led Training (ILT)

COURSE DURATION (\$)

» 5 Days

PREREQUISITES

- » A general understanding of z/OS, ISPF, VSAM and at least one year of experience in providing technical support to z/OS, CICS, COBOL, MQ, or a similar area.
- » BMC Mainframe: IMS Essentials

RECOMMENDED TRAININGS

» NA

BMC Mainframe: IMS/DB & IMS/TM for Technical Support

Course Overview

The course is developed and delivered by © RSM Technology.

This course is essential for all those who have responsibility for the support and maintenance of IMS DB and IMS and IMS TM technical environments. Covering both IMS on-line operations and support functions, the course provides comprehensive cross-training for systems support specialists from parallel disciplines such as z/OS, CICS, or Db2.

Attendees will learn effective IMS system administration, based on a comprehensive insight into the structure and function of the IMS processes and resources, together with the parameters and operator commands that control them.

Typical problems are outlined, emphasizing the identification of the appropriate skills and the utility procedures required to resolve them. Exercises reinforce the formal theory sessions.

Following this course, attendees will be able to provide standby support to their IMS colleagues (following an overview of the standards, conventions, and procedures that are used in their own IMS department).

Target Audience

This course is designed for network technicians, systems programmersand technical managers who need a thorough understanding of how TCP/IP for z/OS is installed and configured

Learner Objectives

- » Describe the role of the Systems Administrator, and the terms, activities, and functions specific to the role
- » Describe the process of a Control Blocks generation, and implementation via Online Change
- » Follow the path of a Transaction through an Online IMS system identifying supporting buffer pools, datasets, and parameter definitions
- » Explain the internal functions for effective selection of system definition and tuning options
- » Identify problem areas and assist in resolution efforts with appropriate functional specialists
- » Maximize IMS performance to meet critical application requirements within the scope of available resources

BMC, BMC Software, and the BMC Software logo are the exclusive properties of BMC Software, Inc., are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other BMC trademarks, service marks, and logos may be registered or pending registration in the U.S. or in other countries. All other trademarks or registered trademarks are the property of their respective owners. ©2021 BMC Software, Inc. All rights reserved.







BMC Mainframe: IMS/DB & IMS/TM for Technical Support

COURSE ABSTRACT

COURSE ACTIVITIES

- » Classroom Presentations
- » Demonstration

BMC MAINFRAME INFRASTRUCTURE AND PLATFORMS LEARNING PATH

» https://www.bmc.com/education/courses/find-courses.html#filter/%7B%22type%22%3A%22edu-specific-types-159150236%22%7D

CERTIFICATION PATHS (\$)

» This course is not part of a BMC Certification Path

DISCOUNT OPTIONS (\$)

- » Have multiple students? Contact us to discuss hosting a private class for your organization
- » Contact us for additional information (\$

Course Modules

Overview and Definitions

- » Database Management Systems (DBMS)
- » IMS configurations: batch and online
- » System Regions
- » Dependent Regions
- » The Control Region (CTL)
- » The DLI Separate Address Space (DLISAS)
- » The Database Recovery Control Region (DBRC)
- » The IMS Resource Lock Manager (IRLM)
- » The Message Processing Region (MPR)
- » The Batch Message Processing Region (BMP)
- » The IMS Fast Path region (IFP)
- » IMS configurations DB/DC, DBCTL or DCCTL
- » IMS configurations: CICS, Db2, Function Shipping, Data Sharing
- » Shared queues
- » IMS and the z/OS environment
- » IMS and the network: VTAM, OTMA, Internet
- » Extended Terminal Option
- » Common system applications

IMS and the System Administrator

- » The System Administrator
- » Useful skills
- » Tasks
- » keep it running
- » Configuration updates
- Resources
- » Machine readable
- » Other players
- » IMS System Programmer
- » MVS Systems Programmer
- » VTAM System Programmer
- » DBAs
- » Security System Programmers
- » Security Administrators
- » Storage Management Administrator
- » Applications Programmer.

The Life Cycle of a Message

- » Message arrival
- » Arrival processing the players
- » DC communications ITASK
- » Communications analyzer
- » Input message queuing
- » Queue buffers & disk queue datasets

- » Functional parallelism
- » DRRN format
- » Message arrival and queuing summary
- » Operational datasets
- » Communications output to queue
- » Output queuing
- » Queue mechanism
- » Intermediate and final message queuing
- » Message delivery: IMS spool line, JES SPOOL API
- » Message purge

Message Scheduling

- » IMS message scheduling & processing
- » Driving factor for MPR environment
- » Transaction-related scheduling attributes
- » Transaction- related advanced scheduling attributes
- » Transaction-related scheduling attribute limits (continued)
- » Region scheduling attributes
- » Quick reschedule
- » Pseudo wait-for-input
- » Ruling factors
- » Other MPR scheduling factors

BMC, BMC Software, and the BMC Software logo are the exclusive properties of BMC Software, Inc., are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other BMC trademarks, service marks, and logos may be registered or pending registration in the U.S. or in other countries. All other trademarks or registered trademarks are the property of their reserved. respective owners: ©2021 BMC Software. Inc. All rights reserved.

2



- » BMP scheduling and processing
- » Fast path regions
- » Scheduling & processing summary

Control Blocks

- » Database macro function
- » Application definition macro function
- » PSB handling
- » Dynamic PSB option
- » DBD handling
- » VTAM control blocks

JCL ... JCL ... JCL!!!

- » JCL ... JCL ... JCL
- » IMS control region JCL
- » DL/I separate address space JCL
- » DBRC JCL
- » IMS reader JCL
- » Message processing region JCL
- » IMS log archiver JCL
- » Spool print JCL
- » IRLM JCL
- » Miscellaneous JCL procs

Operational Datasets

- » Operational datasets
- » ACBLIB
- » FMTLIB
- » MODBLKS
- » MODSTAT
- » DFSMDA

Definitions in PROCLIB

- » How IMS uses PROCLIB
- » DBRC and DLISAS
- » MSDB specification
- » Use of Disabled Reference
- » Page fixing areas of storage
- » Activating XRF
- » Pre-initialization routines
- » Module pre-load list
- » Control region execution parameters
- » Buffer definitions
- » Virtual fetch
- » OSAM specifications

- » VSAM specifications
- » Sequential buffering
- » Logging datasets
- » Trace and serviceability options

Technical Support

BMC MAINFRAME INFRASTRUCTURE AND PLATFORMS

BMC Mainframe: IMS/DB & IMS/TM for

» LU 6.2 device descriptors

IMS Setup and Execution

- » Control region START command
- » DLISAS and DBRC startup
- » True batch
- » On-call functions
- » Starting IMS
- » The workers
- » Shutting down IMS components
- » Shutting down IMS

Command & Control

- » IMS commands entry methods
- » IMS command format
- » Altering IMS parameters
- » TCO overview
- » Automated Operator Program (Type 1)
- » CICS-DBCTL
- » Automated Operator Program (Type 2)
- » Multiple IMSs (IMSPLEX)
- » Operations Manager
- » OM REXX SPOC API
- » Type 2 commands

IMS Logging

- » Concepts
- » Logging entities
- » OLDS Online Log Data Set
- » OLDS recording characteristics
- » WADS Write Ahead Data Set
- » SLDS & RLDS
- » Restart Data Set
- » RECON datasets
- » Record layout
- » Logical/physical logging
- » Functions

For more information about BMC Education Services, visit www.bmc.com/education.

- » Reading the log records
- » FP logging in a single IMS system

BMC, BMC Software, and the BMC Software logo are the exclusive properties of BMC Software, Inc., are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other BMC trademarks, service marks, and logos may be registered or pending registration in the U.S. or in other countries. All other trademarks or registered trademarks are the property of their respective owners. ©2021 BMC Software, Inc. All rights reserved.

3

DBRC Considerations

- » DBRC overview
- » RECON initialization and structure
- » RECON records
- » Maintaining the RECONs
- » Migrating RECONs to new release
- » Skeletal JCL
- » Log maintenance JCL
- » Entering commands online
- » Batch command support
- » Database registration
- » RECON maintenance

Storage Manager

- » Storage pools
- » Fixed storage pools
- » Storage manager pools

» Buffer pool definitions

» DFSSPMxx PROCLIB member

» Execute parameter changes

» Storage manager trace facility

» /DISPLAY POOL command

» Log record contents

» System checkpoint statistics

» Migration consideration - page fixing

» System Modification Program Extended

» Pool structure

» Pool allocation

» Storage usage

» Tuning

Installation

(SMP/E)

» Planning for IMS

» IMS distribution libraries

» The system generation process

Online change commands

» Modifying Resource Definitions

bmc

» Implementation steps: installation,

» IMS target libraries

» Installation SYSGEN

» IVP jobs & tasks

customisation

» Online change

»



- » Major components of DRD
- » Modifying MODBLKS resources without DRD
- » Modifying MODBLKS resources with DRD
- » Environment for DRD

z/OS Considerations

- » System integration
- » IMS libraries
- » Updating z/OS for IMS

VTAM Considerations

- » VTAM considerations
- » General
- » Defining VTAM to IMS
- » Defining IMS to VTAM
- » Multiple System Coupling (MSC)
- » Intersystem Communication (ISC)
- » ISC supports

System Definition

- » Base system definition
- » Macro coding requirements
- » The system definition file
- » System Configuration
- » Application and Database
- » Data Communications
- » The IMS parameter pyramids
- » Application parameters
- » SYSTEM parameters

System Definition: Configuration

- » System configuration macros
- » The IMSCTRL macro
- » The BUFPOOLS macro
- » The COMM macro
- » The FPCTRL macro
- » The IMSCTF macro
- » The MSGQUEUE macro
- » The security macro
- » The IMSGEN macro

» The database macro

System Definition: Application and Database

» Application and database macros

- » The APPLCTN macro
- » The RTCODE macro
- » The TRANSACT macro

Online Change and Dynamic Resource Definition

Technical Support

BMC MAINFRAME INFRASTRUCTURE AND PLATFORMS

BMC Mainframe: IMS/DB & IMS/TM for

- » Introduction
- » Online change
- » Online change commands
- » Modifying Resource Definitions
- » Major components of DRD
- » Modifying MODBLKS resources without DRD
- » Modifying MODBLKS resources with DRD
- » Environment for DRD
- » Why a Repository?
- » IMS Repository configuration
- » RS Catalog Repository
- » IMSRSC Repository
- » Repository commands
- » AUTOEXPORT in DFSDFxxx
- » DRD utilities
- » Modifying resources with DRD & Repository
- » IMS Catalog (as at V14)
- » The Catalog DB HALDB (PHIDAM / OSAM)
- » Catalog Secondary Index
- » Directory an extension of the Catalog
- » IMS Managed ACBs

System Definition: Data Communications

- » Data communications macros
- » The NAME macro
- » MSC definitions
- » The MSPLINK macro
- » The MSLINK macro
- » The MSNAME macro
- » The NAME macro remote terminals

BMC, BMC Software, and the BMC Software logo are the exclusive properties of BMC Software, Inc., are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other BMC trademarks, service marks, and logos may be registered or pending registration in the U.S. or in other countries. All other trademarks or registered trademarks are the property of their resortive owners. © 2021 BMC Software, Inc. All rights reserved.

4

- » MSC coding example
- » VTAM terminal definitions
- » The TYPE macro

For more information about BMC Education Services, visit www.bmc.com/education.

- » The terminal macro VTAM
- » VTAM LU 6 definitions

» VTAM LU 6.1 example

Extended Terminal Option

- » Overview
- » Benefits
- » Static terminal definition
- » Dynamic (ETO) definition
- » Implementation
- » Exits in support of ETO
- » Dead letter queue
- » Session establishment
- » Sign-on processing
- » Sign-on information sources
- » AUTOLOGON
- » AUTOLOGON processing
- » ETO compatibility options

Additional Message Sources

- » IMS and APPC
- » APPC VTAM definitions
- » APPC parm member APPCPMxx
- » LU descriptor definition (DFS62DTx)
- » APPC uses

Fxits

» APPC commands» IMS and OTMA

» OTMA definitions

» OTMA commands

» Why use exits?

» Basic coding requirements

» External Subsystem Attach Facility (ESAF)

» External Subsystem Attachment Package

» External Subsystem Module Table (ESMT)

bmc

» Resource Translation Table (RTT)

» External subsystem considerations

Basic ESAP processing

» Subsystem connections

» The IMS attachment

» How exits are invoked

» Commonly used exits

External Subsystem

(ESAP)

»

» ESAP resources



- » Installing the IMS attachment
- » Make the DB2 libraries available to IMS
- » IMS subsystem member
- » Resource Translation Table (RTT)
- » IMS/DB2 batch
- » IMS dependent region
- » associated subsystems & functions: WebSphere MQ, CICS, ODBA, IMS Connect

ODBA, DBCTL & CICS

- » IMS DBCTL and CICS
- » CICS database management environments
- » Why CICS DBCTL?
- » CICS interface components
- » CICS DL/I requests
- » Task Control Block structure
- » Two-phase commit processing
- » Commit processing completion
- » Disconnect from DBCTL
- » Open Data Base Access
- » DBA security
- » Examples: DB2 stored procedures and MQ

Security

» IMS security

- » Protected resources
- » Overview of IMS secured interfaces
- » System related resources
- » Terminal related resources
- » Application related resources
- » IMS's RACF Resource Classes
- » Sysgen SECURITY macro
- » Startup security options
- » IMS security exit routines
- » The RACF database
- » RACF commands
- » A day in the life...How IMS talks to SAF
- » When IMS starts
- » When a user signs on to IMS
- » When a user accesses a resource
- » When a user signs off
- » When IMS terminates

IMS Problem Determination

Technical Support

BMC MAINFRAME INFRASTRUCTURE AND PLATFORMS

BMC Mainframe: IMS/DB & IMS/TM for

- » Overview
- » DB/DC
- » ESTAE
- » Corollary address spaces
- » MVS failures
- » Control region failures
- » System DS failures
- » Log errors
- » Dependent region failures
- » Application program failures
- » Region controller failure
- » Database failures
- » Write errors
- » Read errors
- » IRLM failures
- » IRLM restart
- » Database problems
- » Scheduling failures
- » Operational dataset problems
- » Db2
- » DBCTL/CCTL

Establishing a Performance Baseline

- » Define service levels
- » Establish performance objectives
- » Establish transaction profiles
- » Develop a monitoring strategy
- » Establish monitoring techniques
- » Continuous monitoring
- » Monitoring for performance tuning
- » Establish base profiles
- » Guideline numbers

IMS Monitor Reports

- » Using the IMS monitor
- » Starting the IMS monitor
- » Run profile report
- » Reports report

For more information about BMC Education Services, visit www.bmc.com/education.

- » Region summary report
- » Region occupancy report

BMC, BMC Software, and the BMC Software logo are the exclusive properties of BMC Software, Inc., are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other BMC trademarks, service marks, and logos may be registered or pending registration in the U.S. or in other countries. All other trademarks or registered trademarks are the property of their resortive owners. © 2021 BMC Software, Inc. All rights reserved.

5

- » Region IWAIT report
- » Program elapsed time

- » Program I/O report
- » Program summary report
- » Message format buffer pool report
- » Message queue pool report
- » Data base buffer pool report
- » VSAM buffer pool report

IMS General Tuning Considerations

- » Address space dispatching priorities
- » Library and DASD allocations
- » Fixing buffer pools
- » MFS general tuning considerations
- » MPR loading programs
- » Overview of VLF/LLA
- » External trace facility
- » Trace datasets
- » External trace activation

» Hardware components

» Parallel sysplex services

» Comprehensive view of IMS

» Common Service Layer (CSL)

» Data sharing: then and now

» Required for data sharing

» BLDS setup (CFRM policy)

» Block Level Data Sharing (BLDS)

bmc

» Strategic IMS architecture

» Operations Manager

» Resource Manager

Shared Databases

» BLDS setup (IMS)

» BLDS setup (IRLM)

» Benefits of BLDS

Parallel Sysplex Overview

» Cross-System Extended Services (XES)

» Cross-System Coupling Facility (XCF)

» Parallel sysplex» Sysplex timer

» Coupling Facility

» CF structures



Shared Message Queues

- » Shared databases
- » Shared queues
- » Common Queue Server (CQS)
- » Shared queue setup (IMS)

1 1 1 1 1 1 1 1

BMC Mainframe: IMS/DB & IMS/TM for Technical Support

- » Shared queue setup (CQS)
- » Shared queues setup (sample CQS job)
- » Shared queues setup (CQS CHKPT DS)
- » Shared queues setup (SRDS)
- » Shared queues setup (CFRM policy)
- » Shared queues setup (logger policy)
- » OLDS Online Log Data Set

BMC, BMC Software, and the BMC Software logo are the exclusive properties of BMC Software, Inc., are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other BMC trademarks, service marks, and logos may be registered or pending registration in the U.S. or in other countries. All other trademarks or registered trademarks are the property of their respective owners. ©2021 BMC Software, Inc. All rights reserved.

